
CINEMOUNT



Ningbo Cinemount Design & Manufacturing Co., Ltd.

西尼是一家
使命、愿景、价值观
驱动的企业

Cinemount is an enterprise driven by mission,vision and values

使命

Mission

创造稳定的就业和发展机会

Provide stable employment and opportunities

愿景

Vision

成为支架行业的领导者

To become the leading supplier of wall mounts

价值观

Values

团结、敬业、创新、卓越

Unity Dedication Innovation Excellence

INTRODUCTION

Ningbo Cinemount Design and Manufacturing Co., Ltd. was established in 2005 and has since become a leading manufacturer of home theater accessories. Specializing in mounts and brackets for flat panel televisions, Cinemount offers a wide range of original designs in addition to accepting OEM and contract manufacturing work. Our facilities are equipped with automated manufacturing technology and can produce millions of mounts annually.

Cinemount is a company apart from the competition. Our management team is familiar with both Eastern and Western business styles, giving us a better understanding of customer needs no matter where they operate. Cinemount also has a professional sales staff trained to provide exceptional service and a talented design team that strives to create the safest and most innovative mounts available. Lastly, Cinemount has spent years developing efficient manufacturing processes and refining quality control methods, allowing us to offer competitive pricing and short lead-time while still maintaining the highest standards.

We encourage you to browse our catalogue to learn more. If you can't find what you need in our catalogue or website, contact one of our sales representatives to discuss how we can create the perfect solution for your individual needs. No matter what kind of flat panel mount or bracket you're looking for, Cinemount is ready to help!



CINEMOUNT
宁波西尼液晶支架制造有限公司
NINGBO CINEMOUNT DESIGN AND MFG CO,LTD



CINEMOUNT

DESIGN & MANUFACTURING CO, LTD
















CONTENTS

- F-series Wall Mounts 01-06
- MSR-series Wall Mounts 07-13
- X-series Wall Mounts.....14-19
- B-series Wall Mounts..... 20-23
- A1-series Wall Mounts..... 24-26
- A2-series Wall Mounts..... 27-29
- RV Mounts.....30-31
- Ceiling Mounts.....32-33
- Projector Mounts 34-35
- Specialty Products..... 36-41


F-series Wall Mounts





Model:F60A

Screen Size: 37" to 86"
Max Load: 60 kg (130 lbs)
Tilt Up: 6°
Tilt Down: 10°
Swivel: up to 180°
Profile: 5.3 cm - 64.0 cm (2.1" - 25.2")
Max Mounting Pattern: 600 mm x 400 mm
Features: Cable management,
integrated bubble level, level correction





Model: F40A

Screen Size: 26" to 60"
Max Load: 36 kg (80 lbs)
Tilt Up: 5°
Tilt Down: 10°
Swivel: up to 180°
Profile: 6.0 cm - 41.0 cm (2.4" - 16.1")
Max Mounting Pattern: 400 mm x 400 mm
Features: Cable management, level correction, decorative wall plate cover



Model: F49A

Screen Size: 26" to 55"
Max Load: 27 kg (60 lbs)
Tilt Up: 5°
Tilt Down: 15°
Swivel: up to 180°
Profile: 6.2 cm - 50.5 cm (2.4" - 19.9")
Max Mounting Pattern: 400 mm x 400 mm
Features: Cable management, level correction



Model: F30A

Screen Size: 26" to 50"
Max Load: 25 kg (55 lbs)
Tilt Up: 5°
Tilt Down: 10°
Swivel: up to 180°
Profile: 6.0 cm - 41.0 cm (2.4" - 16.1")
Max Mounting Pattern: 300 mm x 300 mm
Features: Cable management, level correction, decorative wall plate cover



Model: F20A

Screen Size: 12" to 40"
Max Load: 18 kg (40 lbs)
Tilt Up: 5°
Tilt Down: 15°
Swivel: up to 180°
Profile: 5.8 cm - 42.3 cm (2.3" - 16.7")
Max Mounting Pattern: 200 mm x 200 mm
Features: Cable management, level correction, decorative wall plate cover



Model: F60T

Screen Size: 37" to 86"
Max Load: 68 kg (150 lbs)
Tilt Up: 5°
Tilt Down: 10°
Swivel: n/a
Profile: 6.2 cm (2.4")
Max Mounting Pattern: 600 mm x 400 mm
Safety: UL
Features: Safety device, optional level correction version



Model: F40T

Screen Size: 26" to 65"
Max Load: 45 kg (100 lbs)
Tilt Up: 5°
Tilt Down: 10°
Swivel: n/a
Profile: 6.2 cm (2.4")
Max Mounting Pattern: 400 mm x 400 mm
Features: Safety device, optional level correction version



Model: F60F


Screen Size: 37" to 86"
Max Load: 68 kg (150 lbs)
Tilt Up: n/a
Tilt Down: n/a
Swivel: n/a
Profile: 3.3 cm (1.3")
Max Mounting Pattern: 600 mm x 400 mm
Safety: UL
Features: Safety device, optional level correction version



Model: F40F

Screen Size: 26" to 65"
Max Load: 45 kg (100 lbs)
Tilt Up: n/a
Tilt Down: n/a
Swivel: n/a
Profile: 3.3cm (1.3")
Max Mounting Pattern: 400 mm x 400 mm
Features:Safety device, optional level correction version

Model: F20T




Screen Size: 12" to 40"
Max Load: 18 kg (40 lbs)
Tilt Up: 3°
Tilt Down: 9°
Swivel: n/a
Profile: 3.8 cm (1.5")
Max Mounting Pattern: 200 mm x 200 mm
Features: Low-profile design, safety device

Model: F10T



Screen Size: 12" to 24"
Max Load: 11 kg (25 lbs)
Tilt Up: 3°
Tilt Down: 9°
Swivel: n/a
Profile: 3.3 cm (1.3")
Max Mounting Pattern: 100 mm x 100 mm
Features: Low-profile design, safety device

Model: F20F



Screen Size: 12" to 40"
Max Load: 18 kg (40 lbs)
Tilt Up: n/a
Tilt Down: n/a
Swivel: n/a
Profile: 1.8 cm (0.7")
Max Mounting Pattern: 200 mm x 200 mm
Features: Low-profile design, safety device

Model: F10F



Screen Size: 12" to 24"
Max Load: 11 kg (25 lbs)
Tilt Up: n/a
Tilt Down: n/a
Swivel: n/a
Profile: 1.3 cm (0.5")
Max Mounting Pattern: 100 mm x 100 mm
Features: Low-profile design, safety device


MSR-series Wall Mounts





Model: R60A


Screen Size: 37" to 75"
Max Load: 45 kg (100 lbs)
Tilt Up: 2°
Tilt Down: 10°
Swivel: up to 180°
Profile: 3.8 cm - 41.2 cm (1.5" - 16.2")
Max Mounting Pattern: 600 mm x 400 mm
Features: Level correction, integrated level and cable management, safety lock





Model: S62A


Screen Size: 37" to 90"
Max Load: 68 kg (150 lbs)
Tilt Up: 2°
Tilt Down: 10°
Swivel: up to 180°
Profile: 7.1 cm - 64.3 cm (2.8” - 25.3”)
Max Mounting Pattern: 600 mm x 400 mm
Safety: UL
Features: Level correction, integrated level and cable management, safety lock





Model: S65A

Screen Size: 37" to 86"
Max Load: 60 kg (130 lbs)
Tilt Up: 6°
Tilt Down: 10°
Swivel: 180°
Profile: 7.1 cm - 66.2 cm (2.8" - 26.0")
Max Mounting Pattern: 600 mm x 400 mm
Features: -6° to 6° left and right level correction, zip tie provided for cable management, safety lock, integrated level





Model: S63A

Screen Size: 37" to 86"
Max Load: 60 kg (130 lbs)
Tilt Up: 6°
Tilt Down: 10°
Swivel: 180°
Profile: 6.7 cm - 40.7 cm (2.6" - 16.0")
Max Mounting Pattern: 600 mm x 400 mm
Features: -6° to 6° left and right level correction, zip tie provided for cable management, safety lock



Model: S45A

Screen Size: 32" to 75"
Max Load: 45 kg (100 lbs)
Tilt Up: 6°
Tilt Down: 10°
Swivel: 180°
Profile: 6.7 cm - 40.7 cm (2.6" - 16.0")
Max Mounting Pattern: 400 mm x 400 mm
Features: -6° to 6° left and right level correction, zip tie provided for cable management, safety lock



Model: S10A

Screen Size: 12" to 24"
Max Load: 11 kg (25 lbs)
Tilt Up: 15°
Tilt Down: 15°
Swivel: up to 180°
Profile: 7.5 cm - 33.0 cm (2.9" - 13.0")
Max Mounting Pattern: 100 mm x 100 mm
Features: Integrated level,
cable management,
landscape-to-portrait rotation



Model: S10S

Screen Size: 12" to 24"
Max Load: 11 kg (25 lbs)
Tilt Up: 15°
Tilt Down: 15°
Swivel: up to 180°
Profile: 7.5 cm - 17.5 cm (2.9" - 6.9")
Max Mounting Pattern: 100 mm x 100 mm
Features: Integrated level,
cable management,
landscape-to-portrait rotation



Model: S10T

Screen Size: 12" to 24"
Max Load: 11 kg (25 lbs)
Tilt Up: 15°
Tilt Down: 15°
Swivel: up to 120°
Profile: 7.5 cm (2.9")
Max Mounting Pattern: 100 mm x 100 mm
Features: Integrated level,
landscape-to-portrait rotation




Model: R60F

Screen Size: 37" to 75"
Max Load: 45kg (100 lbs)
Tilt Up: n/a
Tilt Down: n/a
Swivel: n/a
Profile: 1.0 cm (0.4")
Max Mounting Pattern: 600 mm x 400 mm
Features: Ultra low-profile design, integrated level, safety lock



Model: R40F

Screen Size: 32" to 55"
Max Load: 25 kg (55 lbs)
Tilt Up: n/a
Tilt Down: n/a
Swivel: n/a
Profile: 1.0 cm (0.4")
Max Mounting Pattern: 400 mm x 400 mm
Features: Ultra low-profile design, integrated level, safety lock



Model: MF4820

Screen Size: 32" to 65"
Max Load: 60 kg (130 lbs)
Tilt Up: n/a
Tilt Down: n/a
Swivel: n/a
Profile: 2.3 cm (0.9")
Max Mounting Pattern: 600 mm x 400 mm
Safety: UL
Features: Lockable safety




Model: MF3720

Screen Size: 26" to 55"
Max Load: 50 kg (110 lbs)
Tilt Up: n/a
Tilt Down: n/a
Swivel: n/a
Profile: 2.3 cm (0.9")
Max Mounting Pattern: 400 mm x 400 mm
Safety: UL
Features: Integrated level, lockable safety

X-series Wall Mounts





Model: X61A

Screen Size: 37" to 75"
Max Load: 60 kg (130 lbs)
Tilt Up: 5°
Tilt Down: 10°
Swivel: up to 180°
Profile: 6.5 cm - 50.5 cm (2.6" - 19.9")
Max Mounting Pattern: 600 mm x 400 mm
Safety: UL
Features: Cable management, integrated bubble level, level correction





Model: X43A

Screen Size: 26" to 55"
Max Load: 25 kg (55 lbs)
Tilt Up: 5°
Tilt Down: 15°
Swivel: up to 180°
Profile: 6.6cm - 44.5 cm (2.6"-17.5")
Max Mounting Pattern: 400 mm x 400 mm
Safety: UL
Features: Cable management, level correction



Model: X21A

Screen Size: 12" to 40"
Max Load: 18 kg (40 lbs)
Tilt Up: 5°
Tilt Down: 15°
Swivel: up to 180°
Profile: 5.8 cm - 42.3 cm (2.3"-16.7")
Max Mounting Pattern: 200 mm x 200 mm
Features: Cable management, level correction



Model: X11A

Screen Size: 12" to 24"
Max Load: 11 kg (25 lbs)
Tilt Up: 5°
Tilt Down: 15°
Swivel: up to 180°
Profile: 5.4 cm - 41.9 cm (2.1"-16.5")
Max Mounting Pattern: 100 mm x 100 mm
Features: Cable management, level correction



Model: X41S

Screen Size: 26" to 55"
Max Load: 35 kg (77 lbs)
Tilt Up: 5°
Tilt Down: 15°
Swivel: up to 180°
Profile: 6.6 cm - 23.2 cm (2.6"-9.1")
Max Mounting Pattern: 400 mm x 400 mm
Features: Cable management,
level correction



Model: X21S

Screen Size: 12" to 40"
Max Load: 18 kg (40 lbs)
Tilt Up: 5°
Tilt Down: 15°
Swivel: up to 180°
Profile: 5.8 cm - 22.6 cm (2.3"-8.9")
Max Mounting Pattern: 200 mm x 200 mm
Features: Cable management,
level correction



Model: X11S

Screen Size: 12" to 24"
Max Load: 11 kg (25 lbs)
Tilt Up: 5°
Tilt Down: 15°
Swivel: up to 180°
Profile: 5.4 cm - 22.2 cm (2.1"-8.7")
Max Mounting Pattern: 100 mm x 100 mm
Features: Cable management,
level correction



Model: X61T

Screen Size: 37" to 70"
Max Load: 35 kg (77 lbs)
Tilt Up: n/a
Tilt Down: 12°
Swivel: n/a
Profile: 3.6 cm (1.4”)
Max Mounting Pattern: 600 mm x 400 mm
Safety: UL
Features: Integrated bubble level, safety lock



Model: X41T

Screen Size: 26" to 60"
Max Load: 35 kg (77 lbs)
Tilt Up: n/a
Tilt Down: 12°
Swivel: n/a
Profile: 3.6 cm (1.4”)
Max Mounting Pattern: 400 mm x 400 mm
Features: Integrated bubble level, safety lock



Model: X21T

Screen Size: 12" to 40"
Max Load: 20 kg (44 lbs)
Tilt Up: n/a
Tilt Down: 12°
Swivel: n/a
Profile: 3.8 cm (1.5”)
Max Mounting Pattern: 200 mm x 200 mm
Features: Integrated bubble level, safety lock



Model: X61F

Screen Size: 37" to 70"
Max Load: 45 kg (100 lbs)
Tilt Up: n/a
Tilt Down: n/a
Swivel: n/a
Profile: 2.9 cm (1.1”)
Max Mounting Pattern: 600 mm x 400 mm
Safety: UL
Features: Integrated bubble level, safety lock



Model: X41F

Screen Size: 26" to 60"
Max Load: 45 kg (100 lbs)
Tilt Up: n/a
Tilt Down: n/a
Swivel: n/a
Profile: 2.9 cm (1.1”)
Max Mounting Pattern: 400 mm x 400 mm
Features: Integrated bubble level, safety lock




Model: X21F

Screen Size: 12" to 40"
Max Load: 25 kg (55 lbs)
Tilt Up: n/a
Tilt Down: n/a
Swivel: n/a
Profile: 2.9 cm (1.1”)
Max Mounting Pattern: 200 mm x 200 mm
Features: Integrated bubble level, safety lock

B-series Wall Mounts





Model: B61T

Screen Size: 37" to 70"
Max Load: 45 kg (100 lbs)
Tilt Up: 3°
Tilt Down: 15°
Swivel: n/a
Profile: 4.6 cm (1.8")
Max Mounting Pattern: 600 mm x 400 mm
Features: Automatic safety lock



Model: B41T

Screen Size: 26" to 55"
Max Load: 25 kg (55 lbs)
Tilt Up: 3°
Tilt Down: 15°
Swivel: n/a
Profile: 4.6 cm (1.8")
Max Mounting Pattern: 400 mm x 400 mm
Features: Automatic safety lock



Model: B20T

Screen Size: 12" to 40"
Max Load: 25 kg (55 lbs)
Tilt Up: 3°
Tilt Down: 10°
Swivel: n/a
Profile: 6.5 cm (2.6")
Max Mounting Pattern: 200 mm x 200 mm
Features: low-profile design, level correction



Model: B10T

Screen Size: 12" to 24"
Max Load: 11 kg (25 lbs)
Tilt Up: 3°
Tilt Down: 10°
Swivel: n/a
Profile: 5.8 cm (2.3")
Max Mounting Pattern: 100 mm x 100 mm
Features: low-profile design, level correction



Model: B61F

Screen Size: 37" to 70"
Max Load: 45 kg (100 lbs)
Tilt Up: n/a
Tilt Down: n/a
Swivel: n/a
Profile: 2.0 cm (0.8")
Max Mounting Pattern: 600 mm x 400 mm
Features: Low-profile design, automatic safety lock



Model: B41F

Screen Size: 26" to 55"
Max Load: 25 kg (55 lbs)
Tilt Up: n/a
Tilt Down: n/a
Swivel: n/a
Profile: 2.0 cm (0.8")
Max Mounting Pattern: 400 mm x 400 mm
Features: Low-profile design, automatic safety lock



Model: B20F

Screen Size: 12" to 40"
Max Load: 25 kg (55 lbs)
Tilt Up: n/a
Tilt Down: n/a
Swivel: n/a
Profile: 2.7 cm (1.1")
Max Mounting Pattern: 200 mm x 200 mm
Features: Safety screws



Model: B10F

Screen Size: 12" to 24"
Max Load: 11 kg (25 lbs)
Tilt Up: n/a
Tilt Down: n/a
Swivel: n/a
Profile: 2.0 cm (0.8")
Max Mounting Pattern: 100 mm x 100 mm
Features: Safety screws




Model: B26A

Screen Size: 12" to 40"
Max Load: 20 kg (44 lbs)
Tilt Up: 5°
Tilt Down: 15°
Swivel: up to 180°
Profile: 5.1 cm - 35.8 cm (2.0” - 14.1”)
Max Mounting Pattern: 200 mm x 200 mm
Features: Cable management, low-profile design, level correction




Model: B26S

Screen Size: 12" to 40"
Max Load: 20 kg (44 lbs)
Tilt Up: 5°
Tilt Down: 15°
Swivel: up to 180°
Profile: 5.1 cm - 24.3 cm (2.0” - 9.6”)
Max Mounting Pattern: 200 mm x 200 mm
Features: Cable management, low-profile design, level correction



Model: B16A

Screen Size: 12" to 24"
Max Load: 11 kg (25 lbs)
Tilt Up: 5°
Tilt Down: 15°
Swivel: up to 180°
Profile: 5.1 cm - 35.1 cm (2.0” - 13.8”)
Max Mounting Pattern: 100 mm x 100 mm
Features: Cable management, low-profile design, level correction



Model: B16S

Screen Size: 12" to 24"
Max Load: 11 kg (25 lbs)
Tilt Up: 5°
Tilt Down: 15°
Swivel: up to 180°
Profile: 5.1 cm - 23.6 cm (2.0” - 9.3”)
Max Mounting Pattern: 100 mm x 100 mm
Features: Cable management, low-profile design, level correction

A1-series Wall Mounts





Model: A60T

Screen Size: 37" to 65"
Max Load: 45 kg (100 lbs)
Tilt Up: 3°
Tilt Down: 10°
Swivel: n/a
Profile: 4.5 cm (1.7")
Max Mounting Pattern: 600 mm x 400 mm
Features: Automatic safety lock



Model: A40T

Screen Size: 26" to 60"
Max Load: 25 kg (55 lbs)
Tilt Up: 3°
Tilt Down: 10°
Swivel: n/a
Profile: 4.5 cm (1.7")
Max Mounting Pattern: 400 mm x 400 mm
Features: Aautomatic safety lock



Model: A20T

Screen Size: 12" to 40"
Max Load: 18 kg (40 lbs)
Tilt Up: 3°
Tilt Down: 10°
Swivel: n/a
Profile: 3.8 cm (1.5")
Max Mounting Pattern: 200 mm x 200 mm
Features: Low-profile design, safety device



Model: A10T

Screen Size: 12" to 24"
Max Load: 9 kg (20 lbs)
Tilt Up: 3°
Tilt Down: 10°
Swivel: n/a
Profile: 3.5 cm (1.4")
Max Mounting Pattern: 100 mm x 100 mm
Features: Low-profile design, safety device



Model: A60F

Screen Size: 37" to 65"
Max Load: 45 kg (100 lbs)
Tilt Up: n/a
Tilt Down: n/a
Swivel: n/a
Profile: 2.0 cm (0.8")
Max Mounting Pattern: 600 mm x 400 mm
Features: Automatic safety lock



Model: A40F

Screen Size: 26" to 60"
Max Load: 25 kg (55 lbs)
Tilt Up: n/a
Tilt Down: n/a
Swivel: n/a
Profile: 2.0 cm (0.8")
Max Mounting Pattern: 400 mm x 400 mm
Features: Automatic safety lock



Model: A20F

Screen Size: 12" to 40"
Max Load: 18 kg (40 lbs)
Tilt Up: n/a
Tilt Down: n/a
Swivel: n/a
Profile: 1.9 cm (0.7")
Max Mounting Pattern: 200 mm x 200 mm
Features: Safety screws



Model: A10F

Screen Size: 12" to 24"
Max Load: 9 kg (20 lbs)
Tilt Up: n/a
Tilt Down: n/a
Swivel: n/a
Profile: 1.7 cm (0.7")
Max Mounting Pattern: 100 mm x 100 mm
Features: Safety screws

A2-series Wall Mounts





Model: A63A

Screen Size: 37" to 75"
Max Load: 65 kg (143 lbs)
Tilt Up: 2°
Tilt Down: 5°
Swivel: up to 180°
Profile: 7.2 cm - 36.2 cm (2.8” - 14.3”)
Max Mounting Pattern: 600 mm x 400 mm
Features: Level correction, cable management and safety lock



Model: A43A

Screen Size: 26" to 60"
Max Load: 45 kg (100 lbs)
Tilt Up: 2°
Tilt Down: 5°
Swivel: up to 180°
Profile: 8.0 cm - 33.5 cm (3.2” - 13.2”)
Max Mounting Pattern: 400 mm x 400 mm
Features: Level correction, cable management and safety lock



Model: A63T

Screen Size: 37" to 75"
Max Load: 65 kg (143 lbs)
Tilt Up: 2°
Tilt Down: 5°
Swivel: n/a
Profile: 3.0 cm (1.2”)
Max Mounting Pattern: 600 mm x 400 mm
Features: Low-profile design, safety device



Model: A43T

Screen Size: 26" to 60"
Max Load: 45 kg (100 lbs)
Tilt Up: 2°
Tilt Down: 5°
Swivel: n/a
Profile: 3.0 cm (1.2”)
Max Mounting Pattern: 400 mm x 400 mm
Safety: UL
Features: Low-profile design, safety device



Model: A23T

Screen Size: 12" to 40"
Max Load: 25 kg (55 lbs)
Tilt Up: 2°
Tilt Down: 5°
Swivel: n/a
Profile: 3.0 cm (1.2”)
Max Mounting Pattern: 200 mm x 200 mm
Features: Low-profile design, safety device



Model: A63F

Screen Size: 37" to 75"
Max Load: 65 kg (143 lbs)
Tilt Up: n/a
Tilt Down: n/a
Swivel: n/a
Profile: 2.9 cm (1.1”)
Max Mounting Pattern: 600 mm x 400 mm
Features: Low-profile design, safety device



Model: A43F

Screen Size: 26" to 60"
Max Load: 45 kg (100 lbs)
Tilt Up: n/a
Tilt Down: n/a
Swivel: n/a
Profile: 2.6 cm (1.0”)
Max Mounting Pattern: 400 mm x 400 mm
Features: Low-profile design, safety device



Model: A23F

Screen Size: 12" to 40"
Max Load: 25 kg (55 lbs)
Tilt Up: n/a
Tilt Down: n/a
Swivel: n/a
Profile: 2.6 cm (1.0”)
Max Mounting Pattern: 200 mm x 200 mm
Safety: UL
Features: Low-profile design, safety device


RV Mounts





Model: RV200

Screen Size: 12" to 40"
Max Load: 10 kg (22 lbs)
Tilt Up: 5°
Tilt Down: 10°
Profile: 7.5cm - 36.3cm (3.0" - 14.3")
Max Mounting Pattern: 200 mm x 200 mm
Features: Cable management, lockable safety, level correction, optional outdoor wall plate



Model: RV100

Screen Size: 12" to 24"
Max Load: 10 kg (22 lbs)
Tilt Up: 5°
Tilt Down: 10°
Profile: 6.9 cm - 35.7 cm (2.7" - 14.1")
Max Mounting Pattern: 100 mm x 100 mm
Features: Cable management, lockable safety, level correction, optional outdoor wall plate

Ceiling Mounts



Model: F60C-2



Screen Size: 37" to 65"
Max Load: 45 kg (100 lbs)
Tilt Up: n/a
Tilt Down: 15°
Swivel: up to 360°
Profile: 56.0 cm - 86.0 cm (22.1" - 33.9")
Max Mounting Pattern: 600 mm x 400 mm
Features: Dual display solution,
height adjustable, cable management,
safety device, displays can be locked to
mount for theft deterrence

Model: F60C



Screen Size: 37" to 65"
Max Load: 45 kg (100 lbs)
Tilt Up: n/a
Tilt Down: 15°
Swivel: up to 360°
Profile: 56.0 cm - 86.0 cm (22.1" - 33.9")
Max Mounting Pattern: 600 mm x 400 mm
Features: Height adjustable,
cable management, safety device

Model: F40C



Screen Size: 26" to 60"
Max Load: 45 kg (100 lbs)
Tilt Up: n/a
Tilt Down: 15°
Swivel: up to 360°
Profile: 56.0 cm - 86.0 cm (22.1" - 33.9")
Max Mounting Pattern: 400 mm x 400 mm
Features: Height adjustable,
cable management, safety device

Model: F41C



Screen Size: 26" to 60"
Max Load: 45 kg (100 lbs)
Tilt Up: n/a
Tilt Down: 15°
Swivel: 360°
Profile: 61.7 cm - 85.3 cm (24.3" - 33.6")
Max Mounting Pattern: 400 mm x 400 mm
Height Adjustable Range: 23.6 cm (9.3")
Features: Height adjustable,
level correction, safety device

Projector Mounts





Model: MP0011

Screen Size: n/a
Max Load: 13.6 kg (30 lbs)
Tilt Up: 25°
Tilt Down: 25°
Swivel: up to 360°
Profile: 22.6 cm (8.9")
Safety: UL
Features: Optional extension pole



Model: MP0070

Screen Size: n/a
Max Load: 15 kg (33 lbs)
Tilt Up: 15°
Tilt Down: 15°
Swivel: up to 360°
Profile: 12.8 cm (5.0")


Specialty Products











Model:BMA-01

Max Load: 25 kg (55 lbs)
Handlebar Wide:29.3 cm to 42.8 cm (11.5” - 16.9”)
Bike Holder Adjustable Profile:6.3 cm - 38.3 cm (2.5” - 15.1”)
Features: Adjustable bike holder, fit different wide handlebars,
horizontal mounting solution, decoration wall plate cover,
no scratch bike holder, with wheel stabilizing belt



Model: X40CA

Screen Size: 26" to 60"
Max Load: 36 kg (80 lbs)
Tilt Up: 5°
Tilt Down: 10°
Profile: 52.6 cm - 76.5 cm (20.7" - 30.1")
Max Mounting Pattern: 400 mm x 400 mm
Features: Adjustable extension arm, horizontal level correction







Model: TM50

Screen Size: 32" to 77"
Max Load: 36.3 kg (80 lbs)
Tilt: n/a
Max Mounting Pattern: 600 mm x 400 mm
Height Adjustable Range: 54.9 cm - 78.9 cm (21.6" - 31.1")
Features: Height adjustable



Model: TM60

Screen Size: 37" to 65"
Max Load: 35 kg (77 lbs)
Tilt: n/a
Swivel: 60°
Max Mounting Pattern: 600 mm x 400 mm
Height Adjustable Range: 37/41/45/49 cm (14.6"/16.1"/17.7"/19.3")
Features: Height adjustable, level correction



Model: TM40

Screen Size: 32" to 55"
Max Load: 25 kg (55 lbs)
Tilt: n/a
Swivel: 60°
Max Mounting Pattern: 400 mm x 400 mm
Height Adjustable Range: 37/41/45/49 cm (14.6"/16.1"/17.7"/19.3")
Features: Height adjustable, level correction



Model: TC60

Screen Size: 37" to 65"
Max Load: 45 kg (100 lbs)
Lower shelf Max Load: 4.5 kg (10 lbs)
Tilt Up: n/a
Tilt Down: 8°
Swivel: 360°
Max Mounting Pattern: 600 mm x 400 mm
Height Adjustable Range: 104.0 cm - 116.0 cm (40.9" - 45.7")
Features: Height adjustable, movable device



Model: TC40

Screen Size: 32" to 55"
Max Load: 45 kg (100 lbs)
Lower shelf Max Load: 4.5 kg (10 lbs)
Tilt Up: n/a
Tilt Down: 8°
Swivel: 360°
Max Mounting Pattern: 400 mm x 400 mm
Height Adjustable Range: 104.0 cm - 116.0 cm (40.9" - 45.7")
Features: Height adjustable, movable device



Model: TC20

Screen Size: 12"to 40"
Max Load: 25 kg (55 lbs)
Tilt Up: n/a
Tilt Down: 15°
Swivel: 360°
Max Mounting Pattern: 200 mm x 200 mm
Height Adjustable Range: 105.6 cm - 117.6 cm (41.6" - 46.3")
Features: Height adjustable, movable device



Model: ST-01

Screen Size: 12" to 75"
Max Load: 60 kg (130 lbs)
Features: Secures TV to furniture & wall to prevent accidental tipping; length adjustable







Model: CM-IW01

Features: Suitable for drywall up to 5/8” (16 mm) thick, no fasteners required for installation, works with multiple cables, paintable





Model: CM-IW02

Features: Suitable for drywall up to 5/8” (16 mm) thick, no fasteners required for installation, works with multiple cables, paintable

CINEMOUNT

DESIGN & MANUFACTURING CO, LTD

128 W. Songlin RD, Shangqiao Sci-tech Industrial Park, Fenghua, Ningbo, China 315500
Phone:+86-574-88955375 Fax:+86-574-88929771 sales@cinemount.com.cn

www.cinemount.com.cn

2025 Fall Edition